



Product Sheet



Eccentric reducer

DIN EN 10253-4/B

made of stainless steel



D	D2	s	s2	L	kg	Art.-Nr.
26,9	21,3	2,0	2,0	38	0,060	ER-026-021
33,7	21,3	2,0	2,0	50	0,080	ER-033-021
33,7	26,9	2,0	2,0	50	0,080	ER-033-026
42,4	21,3	2,0	2,0	50	0,120	ER-042-021
42,4	26,9	2,0	2,0	50	0,100	ER-042-026
42,4	33,7	2,0	2,0	50	0,100	ER-042-033
48,3	26,9	2,0	2,0	64	0,140	ER-048-026
48,3	33,7	2,0	2,0	64	0,160	ER-048-033
48,3	42,4	2,0	2,0	64	0,150	ER-048-042
60,3	33,7	2,0	2,0	76	0,280	ER-060-033
60,3	42,4	2,0	2,0	76	0,280	ER-060-042
60,3	48,3	2,0	2,0	76	0,250	ER-060-048
76,1	42,4	2,3	2,0	90	0,370	ER-076-042
76,1	48,3	2,3	2,0	90	0,420	ER-076-048
76,1	60,3	2,3	2,0	90	0,320	ER-076-060
88,9	48,3	2,3	2,0	90	0,450	ER-088-048
88,9	60,3	2,3	2,0	90	0,520	ER-088-060
88,9	76,1	2,3	2,3	90	0,480	ER-088-076
114,3	60,3	2,6	2,0	100	0,660	ER-114-060
114,3	76,1	2,6	2,3	100	0,700	ER-114-076
114,3	88,9	2,6	2,3	100	0,700	ER-114-088
139,7	76,1	2,6	2,3	127	1,600	ER-139-076
139,7	88,9	2,6	2,3	127	1,000	ER-139-088
139,7	114,3	2,6	2,6	127	1,100	ER-139-114
168,3	88,9	2,6	2,3	140	1,600	ER-168-088
168,3	114,3	2,6	2,6	140	1,600	ER-168-114
168,3	139,7	2,6	2,6	140	1,600	ER-168-139
219,1	168,3	2,9	2,6	152	3,200	ER-219-168

available material: 1.4571

Reducers & Caps > eccentric > DIN EN 10253-4/B

