



Product Sheet



Saddle bend DIN 2619

from a 90° bend Type 3D

made of stainless steel



D	s	r	h	kg	Art.-Nr.
21,3	2,0	26,0	17	0,043	SB-021-020
26,9	2,0	29,0	16	0,048	SB-026-020
33,7	2,0	38,0	21	0,550	SB-033-020
33,7	2,6	38,0	21	0,100	SB-033-026
42,4	2,0	48,0	60	0,090	SB-042-020
42,4	2,6	48,0	60	0,100	SB-042-026
48,3	2,0	57,0	65	0,100	SB-048-020
48,3	2,6	57,0	65	0,140	SB-048-026
48,3	3,2	57,0	65	0,200	SB-048-032
60,3	2,0	76,0	75	0,240	SB-060-020
60,3	2,6	76,0	75	0,260	SB-060-026
60,3	2,9	76,0	75	0,300	SB-060-029
76,1	2,0	95,0	100	0,340	SB-076-020
76,1	2,6	95,0	100	0,470	SB-076-026
76,1	2,9	95,0	100	0,500	SB-076-029
88,9	2,0	115,0	110	0,520	SB-088-020
88,9	2,6	115,0	110	0,700	SB-088-026
88,9	2,9	115,0	110	0,700	SB-088-029
88,9	3,2	115,0	110	0,760	SB-088-032
114,3	2,0	153,0	135	0,800	SB-114-020
114,3	2,6	153,0	135	1,000	SB-114-026
114,3	2,9	153,0	135	1,240	SB-114-029
114,3	3,6	153,0	135	1,500	SB-114-036
139,7	2,0	191,0	165	1,400	SB-139-020
139,7	2,6	191,0	165	1,600	SB-139-026
139,7	3,0	191,0	165	1,700	SB-139-030
168,3	2,0	228,0	180	2,000	SB-168-020
168,3	2,6	228,0	180	2,300	SB-168-026
168,3	3,0	228,0	180	3,000	SB-168-030
219,1	2,0	305,0	260	3,710	SB-219-020
219,1	2,6	305,0	260	4,440	SB-219-026
219,1	3,0	305,0	260	5,000	SB-219-030
219,1	4,0	305,0	260	6,200	SB-219-040
273,0	3,0	381,0	300	8,280	SB-273-030
323,9	3,0	457,0	360	12,000	SB-323-030
355,6	3,0	534,0	345	15,000	SB-355-030
406,4	3,0	610,0	390	16,000	SB-406-030
406,4	4,0	610,0	390	27,000	SB-406-040

available material: 1.4571

Bends > saddle bends > equal, 3D bend





## Saddle bend

DIN 2619

### Feature

bend Type 3 ( $r=1,5xD$ )

optional: Type 2 ( $r=1xD$ ) or Type 5 ( $r=2,5xD$ )

optional: adjusted for a larger pipe diameter

materials 1.4307/304L - 1.4571 - 1.4404/316L

certificate acc. EN 10204/3.1

